



TITLE:

Vol.19表紙・総目次・Record of Works for 1968

AUTHOR(S):

CITATION:

Vol.19表紙・総目次・Record of Works for 1968. PUBLICATIONS OF THE SETO MARINE BIOLOGICAL LABORATORY 1972, 19(6)

ISSUE DATE:

1972-03-31

URL:


<http://hdl.handle.net/2433/175731>

RIGHT:

KYOTO UNIVERSITY

PUBLICATIONS
OF THE SETO MARINE
BIOLOGICAL LABORATORY

Volume XIX



PUBLISHED BY THE LABORATORY
SIRAHAMA, WAKAYAMA-KEN, JAPAN
1971-1972

CONTENTS

No. 1 (June 30, 1971)

1. **Yamanishi, R. and A. Tanaka:** Contributions to the biology of littoral sea urchins I. Measurements of clinging power and observations on stability of sea urchin colonies. 1
2. **Murano, M.:** Five forms of palinurid phyllosoma larvae from Japan. ... 17
3. **Senawong, C.:** Biological studies of a littoral mussel, *Hormomya mutabilis* (GOULD) II. Comparative observations on clearing and squirting activities in two littoral mussels, *Hormomya mutabilis* (G.) and *Modiolus agripetus* (IREDALE). 27
4. **Baba, K.:** Supplementary note on the anatomy of *Eubranchus virginialis* (BABA, 1949) from Japan (Nudibranchia: Eolidoidea: Eubranchidae). 39
5. **Tokioka, T.:** Phylogenetic speculation of the Tunicata. 43

Nos. 2/3 (October 30, 1971)

6. **Umezaki, I.:** The tetrasporophyte of *Scinaia japonica* SETCHELL (Nemaliales, Rhodophyta). 65
7. **Baba, K.:** Anatomical studies on three species of *Doto* (*D. bella*, *D. japonica* and *D. pita*) from Japan (Nudibranchia: Dendronotoidea: Dotoidae). 73
8. **Sawada, K.:** Aleocharinae (Staphylinidae, Coleoptera) from the intertidal zone of Japan. 81
9. **Hamatani, I.:** A new species of *Cylindrobulla*, sacoglossan opisthobranch, from California; with a comparison with *C. japonica* HAMATANI, 1969. 111
10. **Tokioka, T.:** A new species of *Rhopalaea* from the Pacific coast of Costa Rica (Tunicata, Ascidiacea). 119
11. **Sakai, K.:** The larval stages of *Ranina ranina* (LINNAEUS) (Crustacea, Decapoda, Raninidae) reared in the laboratory, with a review of uncertain zoeal larvae attributed to *Ranina*. 123
12. **Randall, J. E., Aida, K., Hibiya, T., Mitsuura, N., Kamiya, H. and Y. Hashimoto:** Grammistin, the skin toxin of soapfishes, and its significance in the classification of the Grammistidae. 157

No. 4 (December 27, 1971)

13. **Yamamoto, T.:** A new species of *Primovula* from Japan, parasitic to a gorgonid (Gastropoda: Ovulidae). 191
14. **Baba, K. and I. Hamatani:** Record of *Phyllobranchillus orientalis* (KELAART, 1858) (syn. *Branchophyllum orientale* var. *sagamiense* BABA, 1955) from Cape Shiono-misaki, Kii, Middle Japan (Opisthobranchia; Sacoglossa). 197

15. **Utinomi, H.:** Scleractinian corals from Kamae Bay, Oita Prefecture, northeast of Kyushu, Japan. 203
16. **Arakawa, K. Y.:** Studies on the faecal pellets of marine invertebrates (excluding molluscs) I. 231
17. **Sakai, K.:** A new burrower, *Upogebia (Calliadne) kiiensis* sp. nov. (Crustacea, Thalassinidea), collected from Kii, Japan. 243
18. **Tanaka, O. and M. Omori:** Additional report of calanoid copepods from the Izu region. Part 4. *Haloptilus*, *Augaptilus*, *Centraugaptilus*, *Pseudaugaptilus*, and *Pachyptilus*. 249

No. 5 (March 8, 1972)

19. **Senawong, C.:** Biological studies of a littoral mussel, *Hormomya mutabilis* (GOULD) III. Distributions of *Hormomya* and *Modiolus* on Hatakezima Island. 269
20. **Fujino, T.:** A new pontoniinid shrimp, *Pontonia spighti* sp. nov., associated with a newly described ascidian from the Pacific coast of Costa Rica (Decapoda, Natantia, Pontoniinae). 293
21. **Ooishi, S.:** Notodelphyid copepods associated with compound ascidians in Akkeshi Bay, Japan. 303
22. **Watanabe, H. and T. Tokioka:** Two new species and one possibly new race of social styelids from Sagami Bay, with remarks on their life history, especially the mode of budding. 327

No. 6 (March 31, 1972)

23. **Arakawa, K. Y.:** Studies on the molluscan faeces (IV). 347
24. **Kobayashi, N., Nogami, H. and K. Doi:** Marine pollution bioassay by using sea urchin eggs in the Inland Sea of Japan (the Seto-Naikai). 359
25. **Tokioka, T.:** On a small collection of ascidians from the Pacific coast of Costa Rica. 383
26. **Robilliard, G. A. and K. Baba:** *Aldisa sanguinea cooperi* subsp. nov. from the coast of the State of Washington, with notes on its feeding and spawning habits (Nudibranchia: Dorididae: Aldisinae). 409
27. **Nishimura, S., Shirai, K., Tatsuki, T. and C. Sugihara:** The Pacific ridley turtle in Japanese and adjacent waters. 415
28. **Senawong, C.:** *Eudistoma laysani* (SLUITER) from the Gulf of Thailand. 427
29. **Yanagisawa, Y.:** Preliminary observations on the so-called heaping behaviour in a sea urchin, *Hemicentrotus pulcherrimus* (A. AGASSIZ). 431

Composition of the fixed sea urchin colony on Hatakezima Island, 1971.	437
Bioassay data for marine pollution using sea urchin eggs, 1971.	439
Record of works done at the Seto Marine Biological Laboratory (published in 1968).	445

RECORD OF WORKS DONE AT THE SETO MARINE BIOLOGICAL LABORATORY

1968 (昭和43年)

	Contribution No. (Jap. No.)
ARAGA, Chuichi and Hidetomo TANASE: Further record of winter fish stranding in the vicinity of Seto. Publ. Seto Mar. Biol. Lab., 16 (3), 207-218.	493
BIERI, Robert and Takasi TOKIOKA: Dragonet II, an opening-closing quantitative trawl for the study of microvertical distribution of zooplankton and the meio-epibenthos. Ibid., 15 (5), 373-390.	480
CHIJI, Manzo and Silvio M. LOPEZ: Regional foraminiferal assemblages in Tanabe Bay, Kii Peninsula, Central Japan. Ibid., 16 (2), 85-125, pls. VI-XV.	489
*布施慎一郎: 枯木灘石サンゴ生育状況. 熊野海岸海中公園計画書 (海中公園センター報告書), 和歌山県発行, 25-30. [FUSE, Shin-ichiro: Condition of growth of reef corals on the coast of Karekinada, southern Kii. Report on the Marine Park Project along the Kumano Kaigan (Report of the Marine Parks Center of Japan), published by Wakayama Prefecture, 25-30].	
*———: 紀南の造礁サンゴ. 自然, 23 (5), グラビア, 7-9. [———: Reef corals of Kinan Region. Shizen, 23 (5), 7-9].	
GAMO, Sigeo: Studies on the Cumacea (Crustacea, Malacostraca) of Japan. Part III. Publ. Seto Mar. Biol. Lab., 16 (3), 147-192, pl. XVIII.	
HAMATANI, Iwao: A new species of <i>Elysia</i> from Kii, Japan (Opisthobranchia-Sacoglossa). Ibid., 16 (1), 51-54.	486
HARRIS, Larry G.: Notes on the biology and distribution of the aeolid nudibranch (Gastropoda), <i>Phestilla melanobranchia</i> BERGH, 1874. Ibid., 16 (3), 193-198. ...	491
HAYASHI, Ken-Ichi and Sadayoshi MIYAKE: Three caridean shrimps associated with a medusa from Tanabe Bay, Japan. Ibid., 16 (1), 11-19.	483
*入村精一: 田辺湾およびその周辺のクモヒトデ類について (予報). 南紀生物, 10 (1/2), 30-38. [IRIMURA, Seiichi: On the Ophiuroidea from Tanabe Bay and its environs (Preliminary report). Nanki Seibutsu, 10 (1/2), 30-38]. (Jap. 181)	
———: A new species of Ophiuroidea from the coast of Kii Peninsula, Japan. Publ. Seto Mar. Biol. Lab., 15 (5), 353-356.	479
ISHIBASHI, M., FUJINAGA, T., KAWAMOTO, T., SUGIBAYASHI, Sh., SAWAMOTO,	

- H., OGINO, Y. and Sh. MURAI: Fundamental investigation on the dissolution and deposition of some transitional elements in the sea. Rec. Oceanogr. Wks. Jap., (N.S.), **9** (2), 169-177.
- *菊池泰二・荒賀忠一: 調査地域および潜水調査の概要. 熊本県海中公園 学術調査報告書(海中公園センター調査報告), 15-21.
- [KIKUCHI, Taiji and Chuichi ARAGA: Outline of the survey areas and underwater investigations. Sci. Res. Rep. Mar. Park Kumamoto Prefecture (Rep. Marine Parks Center Jap.), 15-21].
- *—————: 天草諸島沿岸の海中景観のあらまし. 同報告書, 25-47, pls. I-V.
- [————— and —————: Outline of the underwater views around the Amakusa Islands. Ibid., 25-47, pls. I-V].
- MASAKI, Tomitaro: Studies on the Melobesioideae of Japan. Mem. Fac. Fish., Hokkaido Univ., **16** (1/2), 1-80, pls. I-LXXIX.
- MIYA, Yasuhiko and Sadayoshi MIYAKE: Revision of the genus *Athanas* of Japan and the Ryukyu Islands, with description of a new species (Crustacea, Decapoda, Alpheidae). Publ. Amakusa Mar. Biol. Lab., **1** (2), 129-162.
- MIYAKE, Sadayoshi and Ken-Ichi HAYASHI: Studies on the hippolytid shrimps from Japan IV. Two allied species, *Heptacarpus rectirostris* (STIMPSON) and *H. futilirostris* (BATE), from Japan. J. Fac. Agr., Kyushu Univ., **14** (3), 433-447.
- NAKASONE, Yukio and Sadayoshi MIYAKE: On six species of *Pachycheles* (Anomura: Porcellanidae) from the West Pacific. OHMU; Occ. Pap. Zool. Lab., Fac. Agr., Kyushu Univ., **1** (2), 61-83, pls. 5-6.
- and —————: Four unrecorded porcellanid crabs (Anomura: Porcellanidae) from Okinawa and the Ryukyu Islands. Ibid., **1** (4), 97-111.
- NISHIMURA, Saburo [西村三郎]: The zoogeographical aspects of the Japan Sea. Part IV. Publ. Seto Mar. Biol. Lab., **15** (5), 329-352. **478**
- : A larval gnathiid from Seto, Japan (Crustacea: Isopoda). Ibid., **16** (1), 6-9. **482**
- : A glimpse of the biology of *Argonauta argo* LINNAEUS (Cephalopoda: Octopodida) in the Japanese waters. Ibid., **16** (1), 61-70. **487**
- : A preliminary list of the pelagic Cephalopoda from the Japan Sea. Ibid., **16** (1), 71-83. **488**
- : *Gnorimosphaeroma lata* n. sp., a new marine isopod from Kii, Japan. Ibid., **16** (4), 273-280. **495**
- *—————: 日本の奇魚珍魚, (1)~(3). 観賞魚の友, **2** (2), 32-37, **2** (3), 32-37, **2** (4), 68-72.
- [NISHIMURA, Saburo: Strange fishes and rare fishes of Japan, (1)~(3). Kanshogyo no Tomo, **2** (2), 32-37, **2** (3), 32-37, **2** (4), 68~72].

- *—————: 日本のウミガメ. *Nature Study*, **14** (6), 65–70.
 [—————: *Sea turtles of Japan*. *Nature Study*, **14** (6), 65–70].
- *—————: 能登臨海実験所近海に多産する小型渦虫. 採集と飼育, **30** (9), 304–305.
 [—————: An acoel and a proseriate turbellarian from Noto-Ogi, southeastern Japan Sea. *Collecting and Breeding*, **30** (9), 304–305].
- *—————(編): 日本海産動物相に関する文献目録 (1). 原生動物・海綿動物. 日本海, 金沢, no. 2, 97–100.
 [————— (compiled): *Bibliography of the fauna of the Japan Sea* (1). Protozoa and Porifera. *Nihonkai*, Kanazawa, no. 2, 97–100].
- TAHARA, Yutaka and Minoru OKADA: Normal development of secondary sexual characters in the sea urchin, *Echinometra mathaei*. *Publ. Seto Mar. Biol. Lab.*, **16** (1), 41–50, pls. I–III. **485**
- *田名瀬英朋: クロイシモチ (テンジクダイ科魚類) の産卵習性に関する若干の知見. 南紀生物, **10** (1/2), 16–18.
 [TANASE, Hidetomo: Contributions to the knowledge on the spawning habit of *Apogon niger* DÖDERLEIN (Teleostei, Apogonidae). *Nanki Seibutsu*, **10** (1/2), 16–18]. (Jap. **179**)
- TOKIOKA, Takasi [時岡隆]: Preliminary observations made by Mr. S. HAMAHIRA on the growth of a giant colony of the madreporarian coral *Pavona frondifera* LAMARCK, found in a cove on the southwestern coast of Sikoku Island. *Publ. Seto Mar. Biol. Lab.*, **16** (1), 55–59, pls. IV–V.
- : Contributions to Japanese ascidian fauna XXIII. On *Botrylloides violaceus marginatus* TOKIOKA, 1967. *Ibid.*, **16** (2), 141–145. **490**
- : Contributions to Japanese ascidian fauna XXIV. On *Sigillinaria clavata* OKA, 1933. *Ibid.*, **16** (3), 199–205. **492**
- : A supposition on the systematic position of *Namiella bistigmata* C. MONNIOT & F. MONNIOT. *Ibid.*, **16** (4), 291–294. **497**
- *—————・布施慎一郎・荒賀忠一: 造礁サンゴ移植実験経過報告. 海中公園情報, **1**(2), 4–6.
 [—————, FUSE, Shin-ichiro and Chuichi ARAGA: A preliminary report on the transplantation experiments of reef corals at Sirahama. *Marine Parks Journal*, **1** (2), 4–6].
- TUBAKI, Keisuke: Studies on the Japanese marine fungi. Lignicolous group II. *Publ. Seto Mar. Biol. Lab.*, **15** (5), 357–372, pls. XII–XIX.
- UCHIO, Takayasu: Foraminiferal assemblages around the Seto Marine Biological Laboratory, Shirahama-cho, Wakayama-ken, Japan (Part 1). *Ibid.*, **15** (5), 399–417. **481**
- UTINOMI, Huzio [内海富士夫]: A revision of the deep-sea barnacles *Pachylasma* and *Hexelasma* from Japan, with a proposal of new classification of the Chthamalidae (Cirripedia, Thoracica). *Ibid.*, **16** (1), 21–39. **484**
- : Epibenthic or planktonic caprellids from the environs of Tanabe

- Bay (Amphipoda: Caprellidae). Ibid., **16** (4), 281-289. **496**
———. 小郷一三：日本産海百合類 (Class Crinoidea) 種名目録. 動物分類学会誌,
no. 4, 46-53.
[——— and Ichizo Kogo: Revised catalogue of crinoids collected
from Japanese waters. Proc. Jap. Soc. Syst. Zool., no. 4, 46-53].(Jap. **178**)

* Japanese text only.